Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	29	(backward adj process$3) and (reverse adj order)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:02
L5	20	4 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:03
L6	2	5 and map adj decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 12:42
L7	9	("4291406" | "5329535" | "5724106" | "5933462" | "6023783" | "6128765" | "6421804" | "6477681" | "6580767").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 12:44
L8	29	(backward adj process$3) and (memory with order)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:02
L9	21	8 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:29
L10	418	375/265.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:25
L11	5	10 and (backward adj recurs$3 adj process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:25
L12	1	11 and memory with (reverse or opposite) adj order	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:26
L13	382	375/262.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:27
L14	1	13 and (backward adj recurs$3 adj process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:26
L15	6	13 and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:27

L16	1	15 and memory with (reverse or opposite) adj order	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:27
L17	283	714/794.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:27
L18	1548	714/795.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:28
L19	6	18 and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:28
L20	1	19 and memory with (reverse or opposite) adj order	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:28
L21	288	714/781.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:28
L22	0	21 and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:28
L23	240	714/796.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:30
L24	5	23 and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:30
L25	0	24 and memory with (reverse or opposite) adj order	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:31
L26	2	24 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:29
L27	267	714/776.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:30

L28	0	27 and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:31
L29	0	714/209.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:31
L30	398	714/786.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:32
L31	8	30 and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:33
L32	0	31 and memory with (reverse or opposite) adj order	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:32
L33	1771	714/793-795.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:32
L34	46	"310" and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:32
L35	0	34 and memory with (reverse or opposite) adj order	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:35
L36	0	370/342.ccls. and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:33
L37	1	375/348.ccls. and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:34
L38	1	375/259.ccls. and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:35
L39	0	38 and memory with (reverse or opposite) adj order	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:37

L40	0	38 and (reverse or opposite) adj order	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:35
L41	7	375/340.ccls. and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:36
L42	0	41 and memory with (reverse or opposite) adj order	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:36
L43	0	375/242.ccls. and ((backward adj recurs$3 adj process$3) or (backward adj process$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:36
L44	11	(map adj decod$3) and (memory with ((reverse or opposite) adj order))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:42
L45	4	44 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:43
L46	11	(map adj decod$3) and ((fifo or buffer$1 or memory) with ((reverse or opposite) adj order))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 13:43
L47	4	46 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 15:31
L48	19	(sliding adj window) with (turbo adj2 cod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 15:31
L49	4	48 and backward adj process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 15:32
L50	1	49 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 15:32
S1	2	"6182261".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 10:22

S2	13	"1089428"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 09:54
S3	3	"9919990"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 09:55
S4	25	"5598436"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/22 09:56
S5	0	(map adj decoder) with (backwards adj processor$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:13
S6	0	(map adj decoder) and (backwards adj processor$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:53
S7	7	(backwards adj processor$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:48
S8	6	S7 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:48
S9	75	(map adj decoder) and ((iterative$3 or recursive) adj process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:58
S10	6	S9 and (calculat$3 or determin$3) with (second adj3 value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:54
S11	2	S10 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:58
S12	736	704/233.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:58
S13	1	S12 and (map adj decoder) and ((iterative$3 or recursive) adj process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:59

S14	128	704/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:58
S15	1	S14 and (map adj decoder) and ((iterative$3 or recursive) adj process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:59
S16	1	S14 and (decoder) and ((iterative$3 or recursive) adj process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 12:59
S17	2	S12 and (decod$3) and ((iterative$3 or recursive) adj process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:09
S18	2310	(decod$3) and ((iterative$3 or recursive) adj process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:32
S19	0	S18 and stae adj probabilty adj value$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:10
S20	0	S18 and state adj probabilty adj value$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:11
S21	0	S18 and probabilty adj value$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:32
S22	0	S18 and state adj probability adj value$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:32
S23	72	S18 and probability adj value$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:11
S24	2	S23 and third adj3 value$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:12
S25	34	(map adj decod$3) with (window$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:14

S26	12	S25 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:16
S27	4	S26 and third with value$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:33
S28	974	375/341.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:21
S29	38	S28 and (decod$3) and ((iterative$3 or recursive) adj process$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:32
S30	0	S29 and state adj probability adj value$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:33
S31	0	S29 and probabilty adj value$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:32
S32	14	S29 and window$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:33
S33	12	S32 and @ad<="20011016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:33
S34	3	S33 and third with value$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/01 13:33
S35	36	backward$1 adj processor$1	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 09:53
S36	388	backward$1 adj process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 09:54
S37	9	S36 and (turbo or concanten$3) adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 09:55

S38	1	S37 and "20011016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 09:55
S39	4	S37 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 12:40
S40	3	("5933462" | "6381728" | "6484283").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/05 09:56
S41	52739	(lg adj electronic$1).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 10:23
S42	2	S41 and backward$1 adj process$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 10:23
S43	40	S41 and turbo adj2 (decod$3 or cod$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 10:24
S44	8	S43 and @ad<="20001016"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/05 10:24